

**To:** Terrie Boguski[tboguski@skeo.com]  
**From:** Vann, Bradley  
**Sent:** Tue 8/25/2015 7:21:49 PM  
**Subject:** RE: Fact sheet on 95% UCL

Thanks Terrie. If you can, please call me in the afternoon as I typically run a gantlet of meetings on Wednesday morning.

Bradley Vann - Remedial Project Manager

U.S. Environmental Protection Agency

Superfund Division

Missouri/Kansas Remedial Branch

11201 Renner Blvd.

Lenexa, KS 66219

Phone: 913-551-7611

Fax: 913-551-9611

Cell: 816-714-0331

**From:** Terrie Boguski [mailto:tboguski@skeo.com]  
**Sent:** Tuesday, August 25, 2015 2:19 PM  
**To:** Vann, Bradley  
**Cc:** Washburn, Ben  
**Subject:** Re: Fact sheet on 95% UCL

Sure, I will call tomorrow. No one in the WLL CAG asked for information on 95% UCL specifically.

Thanks.

Terrie

On Aug 25, 2015, at 2:17 PM, Vann, Bradley <[Vann.Bradley@epa.gov](mailto:Vann.Bradley@epa.gov)> wrote:

Terrie, call me before you provide this to the CAG. I have a few questions on the utility of this information, in what context it fits and if anyone from the CAG specifically requested it.

Thanks,

Bradley Vann - Remedial Project Manager

U.S. Environmental Protection Agency

Superfund Division

Missouri/Kansas Remedial Branch

11201 Renner Blvd.

Lenexa, KS 66219

Phone: 913-551-7611

Fax: 913-551-9611

Cell: 816-714-0331

**From:** Terrie Boguski [<mailto:tboguski@skeo.com>]

**Sent:** Tuesday, August 25, 2015 9:04 AM

**To:** Vann, Bradley; Washburn, Ben

**Subject:** FW: Fact sheet on 95% UCL

**From:** Terrie Boguski

**Sent:** Monday, August 17, 2015 1:28 PM

**To:** 'Vann, Bradley' <[Vann.Bradley@epa.gov](mailto:Vann.Bradley@epa.gov)>; 'Washburn, Ben' <[washburn.ben@epa.gov](mailto:washburn.ben@epa.gov)>

**Cc:** Kirby Webster <[kwebster@skeo.com](mailto:kwebster@skeo.com)>  
**Subject:** Fact sheet on 95% UCL

Hi Brad and Ben,

I hope the West Lake Landfill CAG meeting went well last week. I haven't received any information or requests from the CAG. Attached is a fact sheet that we prepared for another community where I will be discussing risk assessment. The WLL CAG technical committee asked us to write a fact sheet about risk assessment for them. As a precursor to that fact sheet, I am planning to give the attached to the CAG technical committee. If you see any problem with using the attached fact sheet for the WLL CAG, please let me know.

Is there a date for the next technical committee and/or CAG meeting?

Thanks.

Terrie

Terrie Boguski

Senior Technical Analyst

Skeo Solutions

913-780-3328 (office)

913-568-7550 (cell)

[www.skeo.com](http://www.skeo.com)

[tboguski@skeo.com](mailto:tboguski@skeo.com)

[tboguski@sbcglobal.net](mailto:tboguski@sbcglobal.net)

